				DQA:	Date:	
NCR:	Yes	/ No	WORK ORDER NON-CONFORMANCE / UP	DATE		

		, 									QA Closed:	Date:	
Work Orde	\r·				· ·	DISPOSITION				AGAINST DEI	PARTMENT/	PROCESS	
Part N	•					Rework Scrap Use-as-is		Skid-tube Crosstube Machining Small Fab Thermoforming Finishing			Water Jet Prod. Eng. Coor. Rec/Store/Packaging		Engineering Quality Other
NCR N	Ю.				 	Work Order Update		Large Fab Composite				Supplier	
Root					Descri	ption of work order update	Į.	nitial	Ac	tion	Sign &		
Cause		Date	Step	Qty		or Non-conformance	Ch	ief Eng	Desc	ription	Date	Verification	,QC Inspector
Doc/Data													
Equip/Tooling													
Operator													
Material													
Setup													
Other		1			E		ļ						
Process													·
Supplier							ļ						
Training													
Unapproved													
					<u> </u>	F.	AUL	T CATE	GORY				
Landi	ng (Sear				General		1		 	7		7
		Bending				Bend		Grain			Ovalized		Pressure/Forced
	-	Centre No	ot Concer	ntric to	o/s	BOM/Route	L	Hardwa			Over/Under		Temperature/Cure
		Cracks			L	Broken/Damaged			ion Incomplete		Part Incorre		Weld
		Crushed/0	Crimped.			Burrs	<u></u>	ł	tions Incomplete/	'Unclear	Part Lost/Mi	-	Wrong Stock Pulled
		Cuffs				Contamination	_	Mainte		<u> </u>	Part Moved		
		Heat Trea	t			Countersink		Mislabe	eled		Positioned V		, ¬
		Inspection	n Strip in	Tube		Cut Too Short		Misrea	d		Power Loss/	'Surge	Other
		Ripples in	Bend			Drill Holes		Offset					
		Torque W	aves in E	xtrusio	n [Drawing		Out of	Calibration				
	Turning Sequence					Finish		Out of	Sequence				

Outside Dimensions

Wave/Twist in Tube

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

NCR:	Yes / No	WORK ORDER NON-CONFORMANCE / UPDATE

Cut Too Short

Drill Holes

Drawing

Finish

Folio

NCR: Y	·												
										QA Closed:	Date:		
Work Orde	r:				DISPOSITION	_	AGAINST DEPARTMENT/PROCESS						
Part N	lo				Rework Scrap Use-as-is		Machining Small Fab		Crosstube Small Fab Finishing	Water Jet Prod. Eng. Coor. Rec/Store/Packaging		Engineering Quality Other	
NCR No.					Work Order Update]		Large Fab	Composite		Supplier		
Root				Descri	ption of work order update	1	nitial	Actio	on	Sign &			
Cause	√Date	Step	Qty		or Non-conformance	Ch	ief Eng	Descrip	ption	Date	Verification	QC Inspector	
ooc/Data iquip/Tooling Operator Material Setup Other Process Supplier Fraining Unapproved													
						FAUL	T CATE	GORY		•			
Landin	ng Gear				General	_	1			٦		۱	
1	Bending	;			Bend		Grain			Ovalized		Pressure/Forced	
	Centre I	Not Conce	ntric to	o/s	BOM/Route	_	Hardwa		<u></u>	Over/Under		Temperature/Cure	
	Cracks				Broken/Damaged		1 '	ion Incomplete	<u> </u>	Part Incorred		Weld	
Ĺ	Crushed	I/Crimped	-		Burrs		Instruct	tions Incomplete/U	nclear	Part Lost/Missing Wron		Wrong Stock Pulled	
	Cuffs				Contamination		Mainte	enance		Part Moved			
[Heat Treat				Countersink		Mislabeled			Positioned Wrong			

Misread

Out of Calibration

Out of Sequence

Outside Dimensions

Offset

DQA:

Power Loss/Surge

Other

Date:

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Inspection Strip in Tube

Torque Waves in Extrusion

Work Order ID:

97594

Parent Item:

D4092-041

Parent Item Name:

Maintenance Step Assembly

Start Date: 2/25/13

Required Date: 2/25/13

Page 1

Start Qty: 3.00

Required Qty: 3.00

Comments:

IPP REV:A NEW ISSUE 10-06-01 JLM VERIFIED BY:DD

IPP REV:B AS PER ECN 11-

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on e Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4092-1		Manufactured	No No			100	Each	10.0000	2	\$ 4	5/1	13/08	//9
Maintenance Step									-		- JO 1		
				Location		Loc Qty	L	oc Code		. /		/ /	
				GA		1							
					7852	ì							
				ST241A	1303	l •							
				ST271A	+303	0							
					5735	8				4			,
D4093-1		Manufactured	No			100	Each	5.0000	1	3/2			
Bracket		Manaractarea		-)L3/B	3 // 9
				Location		Loc Oty	I	Loc Code		. ,			
•				ST201		5				/		/	
					3754	5				2			_
D4093-3		Manufactured	No			100	Each	8.0000	1) /2		(2 /	0/1
Bracket									c			125-70-	5//-/
				Location		Loc Qty	<u>1</u>	Loc Code					
				ST201		8				~ ´		•	
				9	3253	8				ر 🚤	/ /		
D4093-5		Manufactured	No			100	Each	4.0000	2	Ø (5/2/5	\2 /
Bracket										To an order		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,)[.
			•	Location		Loc Oty	Ī	Loc Code				<u> </u>	/
				ST093	2724	4					,	グタチ	494
M624/04 654			No		3724	100	Each	24.0000	2		10)	/ /
MS24694-S54 Screw		Purchased	No			100	Eacii	24.0000	_	78		13/1	3/
Solow				Location		Loc Qty		Loc Code					/
				Location		<u>Loc Qty</u> 24	_	Loc Cour		. /		•	•
				ST303	23900	24				+			

									DQA:	Date:	· · · · · · · · · · · · · · · · · · ·		
NCR: Ye	es / No				WORK ORDER NON-C	CONFOR	MANCE / UF		QA Closed:	Date:			
Work Order	··		-		DISPOSITION		AGAINST DEPARTMENT/PROCESS						
Part No. NCR No. Descri					Rework Scrap Use-as-is Work Order Update	- 1	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	Water Jet Prod. Eng. Coor. Rec/Store/Packaging Supplier		Engineering Quality Other		
Root				Descri	ption of work order update	Initial	А	ction	Sign &		-		
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Des	cription	Date	Verification	QC Inspector		
Doc/Data													
Equip/Tooling			•										
Operator			:										
Material]									
Setup											,		
Other			ļ					,					
Process			'						ļ				
Supplier													
Training													
Unapproved			İ						1				

Landing	Gear	General		_			 _
	Bending	Bend		Grain		Ovalized	 Pressure/Forced
	Centre Not Concentric to O/S	BOM/Route		Hardware		Over/Under tolerance	Temperature/Cure
	Cracks	Broken/Damaged		Inspection Incomplete		Part Incorrect	Weld
	Crushed/Crimped.	Burrs		Instructions Incomplete/Unclear		Part Lost/Missing	Wrong Stock Pulled
	Cuffs	Contamination		Maintenance		Part Moved	A
	Heat Treat	Countersink		Mislabeled		Positioned Wrong	 · -
	Inspection Strip in Tube	Cut Too Short		Misread	L	Power Loss/Surge	Other
	Ripples in Bend	Drill Holes		Offset			
	Torque Waves in Extrusion	Drawing		Out of Calibration			
· [Turning Sequence Finish			Out of Sequence			
	Wave/Twist in Tube	Folio		Outside Dimensions			

FAULT CATEGORY

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G


February-21-13 2:23:36 PM

Work Order ID:	97594							
Parent Item:	D4092-041					Start D	ate: 2/25/13	Required Date: 2/25/13
Parent Item Name:	Maintenance Step Assembly					Start 6	Qty: 3.00	Required Qty: 3.00
MS24694-S55 Screw	Purchased	No		100	Each	135.0000	8	24/6/S/3/03/
			Location	Loc Qty		Loc Code		
			ST303	135				
			123758	i				
			124296	134			16	_ , // , /
MS24694-S56 SCREW	Purchased	No		100	Each	40.0000	2	B4 53/03
			<u>Location</u>	Loc Qty		Loc Code		
			ST303	40				
			121340	15				
			124040	25			-4	
NAS1149D0332J Washer	Purchased	No	-2.0.0	100	Each	929.0000	12	4 / S3/03
			Location	Loc Qty		Loc Code		
•			FP001	44				
			122973	44			_	
			ST294	885			-	
			122973	885				_ /
1S21042L3	Purchased	No	- 2020 / / 20	100	Each	7,043.0000	12	3624
lut	i dichased					,	<u> </u>	1 13/6
			Location	Loc Oty		Loc Code		
			FP001	3				
			122141	3				
			GA	342				
			122452	342			24	· ·
			ST314	268			~~	
			117885	32			-	
			119017	55				
			119075	138				
			123265	43		•		
			ST506	6430				
			123900	2430				<u> </u>
			124291	4000				
February-21-13 2	· 23 · 36 PM			Packet Print				· I

			DQA:	Date:
NCR:	Yes / No	WORK ORDER NON-CONFORMANCE / UPDATE		
			OA Closed:	Date:

Work Orde	or:					DISPOSITION				AGAINST DE	PARTMENT/	PROCESS	
Work Orac						Rework			Skid-tube	Crosstube		Water Jet	Engineering
Dort N	No.					Scrap	1		Machining	Small Fab	Proc	d. Eng. Coor.	Quality
Part N	۱O					Use-as-is	١,,		~ 	Finishing		e/Packaging	Other
NCR N	N.					Work Order Update	'	Thermoforming Finishing Large Fab Composite			NEC/3tor	Supplier	- Julian - 1
NCK	NO					Work Order opdate	1		Laige (ab	composite		Supplie!	
Root					Descri	ption of work order update	Init	1	Act		Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Chief	f Eng	Descr	iption	Date	Verification	QC Inspector
Doc/Data										:			
Equip/Tooling													
Operator											;		
Material								İ				i	
Setup													ļ
Other													
Process													
Supplier													
Training	П				1								
Unapproved								š					
						FA	AULT (CATE	GORY				
Landi	ng G	ear				General					_		
		Bending				Bend	∏G	rain			Ovalized		Pressure/Forced
	П	Centre No	t Concer	ntric to	o/s	BOM/Route	Пн	ardwa	re		Over/Under	tolerance	Temperature/Cure
	П	Cracks				Broken/Damaged	In	specti	on Incomplete		Part Incorre	ct	Weld
	Щ	Crushed/0	Crimped.			Burrs	In	struct	ions Incomplete/l	Jnclear	Part Lost/Mi	ssing	Wrong Stock Pulled
	_	Cuffs	•			Contamination	\square_{N}	1ainte	nance		Part Moved	<u></u>	
	-	Heat Trea	it			Countersink	Пм	1islabe	led		Positioned V	Vrong	
	П	Inspection	n Strip in	Tube		Cut Too Short	\square	lisreac	i .		Power Loss/	Surge	Other
	-	Ripples in Bend				Drill Holes	По	ffset		<u> </u>	•		
	Torque Waves in Extrusion			xtrusio	n	Drawing	По	Out of Calibration					
	Turning Sequence				Finish	Out of Sequence							
	Wave/Twist in Tube					Folio	По	utside	Dimensions				

ITEM	QTY -041	PART NUMBER	DESCRIPTION
1 '	Х	D4092-041	MAINTENANCE STEP ASSEMBLY
2	2	D4092-1	MAINTENANCE STEP
3	1	D4093-1	BRACKET
4	1	D4093-3	BRACKET
5	2	D4093-5	BRACE
6	12	MS21042L3	NUT
7	2	MS24694-S54	SCREW
8	8	MS24694-S55	SCREW
9	2	MS24694-S56	SCREW
10	12	NAS1149D0332J	WASHER



17.10 $\mathbb{C}^{q}G$ * LED COPY * C'DMENT $\leq \Box CE$ 97594 MLJ 13.02-25


D4092-041 MAINTENANCE STEP ASSEMBLY


·		
В	REDRAWN; LOWERED FOR AESTHETICS	RF
	NEW IOOUE	


DESCRIPTION REV. DART AEROSPACE USA, INC. DESIGN DRAWN RF DRAWING NO. D4092 CHECKED REV. B MFG. APPR. SHEET 1 OF 6 APPROVED DE APPR. TITLE DATE 11.07.27


10.09.16


BY DATE

















D4092-1 MAINTENANCE STEP (MAKE FROM D2761 EXTRUSION)

NOTES:
1) MATERIAL: MAKE FROM D2761 EXTRUSION
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
BLACK ANTI-SKID PAINT GRIP AREA AS INDICATED PER DART QSI 005 4.4
MASK RECTANGULAR CUTOUT PRIOR TO APPLICATION OF ANTI-SKID
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX, NOT REQUIRED TO DEBURR GRIP AREA
6) IDENTIFICATION: N/A 7) WEIGHT: 1.97 lbs 8) MACHINE 0.69 x 0.69 GRIP 0.030 DEEP AT 45 ° PATTERN 0.38 APART

DESIGN	RF	DART AEROSPACE USA, INC.		
DRAWN	RF			
CHECKED	140	DRAWING NO.	REV. B	
MFG. APPR.	al	D4002	SHEET 5 OF 6	
APPROVED	NA	TITLE	SCALE	
DE APPR.	4	MAINTENANCE STEP ASS'Y	NTS	
DATE 11.07.27		COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PREVATE AND COMPRETURE, AND IS PROFUED ON THE EXPRESS CONCINON THAT IT IS NOT TO BE USED FOR ANY PROPESS OF COPIED ON COMMANDETS TO ANY OTHER PERSON INTROJET.		

D

С

3

2

